

TRAFFORD
COUNCIL

TRAFFORD CENTRAL LOCALITY HEALTH PROFILE


JANUARY 2021



CENTRAL LOCALITY: WARDS



- **Sale Moor:** Situated to the east of the Borough and shares a large part of its boundary with Manchester. Its northern boundary is the River Mersey and Sale Golf Course. The remaining boundaries are adjacent to residential areas on Northern Moor in Manchester and Sale. The M60 motorway runs through the ward and separates the main residential area from Sale Golf Course and the Mersey Valley.
- **Ashton upon Mersey:** Densely populated and the majority of land is under private ownership. There is a great deal of green space, albeit the majority is in private ownership, but provides opportunities for residents to access a number of recreational activities. It is a pleasant village with a variety of shops, pubs and restaurants. The boundary of this ward follows the River Mersey and the Carrington Spur with paths running through and adjacent to the private sites providing links to the Trans Pennine Trail.
- **Brooklands:** a very attractive, affluent and pleasant place to live bounded by the A56 to the west and by Baguley Brook to the south. It has two distinct areas which are separated by the Bridgewater Canal and the Metrolink line. Brooklands ward has a Metrolink station and is the home of Sale Amateur Rugby Club. The area includes two parks, Walton Park to the west and Moor Nook to the east.
- **Priory:** Home to Sale Town Centre, Sale Waterside and the Town Hall and Sale Water Park with its Water Sports Centre, Worthington Park, Walkden Gardens, and Priory Woods. Priory ward is bounded to the north by the River Mersey and to the east by the residential areas of Sale Moor; Ashton on Mersey lies to the west and Brooklands to the south. The M60 motorway, A56 Chester Road and the Bridgewater Canal all run through the Ward.
- **St. Mary's:** densely populated and suburban in character. The eastern boundary is the A56 (Washway Road) and the western boundary is Dainewell Woods, Carrington Moss and the residential areas of Ashton upon Mersey and Broadheath lie to the south.



CENTRAL LOCALITY: DEMOGRAPHICS






TRAFFORD
COUNCIL

- The Central locality has an estimated population of 55,876 across the five wards (Ashton upon Mersey, Brooklands, Sale Moor, St. Mary's, and Priory) (ONS, 2019).
- Data at the ward level suggests that the five wards in the Central locality are about average compared to Trafford with the proportion of 65+ years population (ONS, 2019).
- Wards in the Central locality have a low percentage of BAME communities in Trafford (Census, 2011)
- 3 of the 5 wards are amongst some of the least deprived wards in Trafford (IMD, 2019)
- Around 11% of children are living in poverty and 9.8% of people living in income deprived households in the Central locality (Local Health, 2019).

PERCENTAGE (%) OF POPULATION AGED 65+ YEARS BY WARDS IN TRAFFORD (ONS, 2019)



TRAFFORD
COUNCIL






Priory ward has the lowest percentage (14.2%) of population aged 65+ years in Trafford, followed by 17.1% in Sale Moor, 18.7% in St. Mary's, 19.3% in Ashton upon Mersey and 19.9% in Brooklands (ONS, 2019).

Figure Source: Trafford Data Lab



PERCENTAGE (%) OF BAME POPULATION BY WARDS IN TRAFFORD (CENSUS, 2011)





St. Mary's ward has the highest percentage (12.4%) of BAME population in Trafford, followed by 10.4% in Brooklands, 10% in Priory, 8.6% in Sale Moor and 6% in Ashton upon Mersey (ONS, 2019)




TRAFFORD
COUNCIL

DEPRIVATION SCORES BY WARDS IN TRAFFORD (CENSUS, 2011)



St. Mary's ward has the second highest deprivation score in Central, followed by Sale Moor, Priory, Ashton upon Mersey, and Brooklands. (IMD, 2019). (Note: IMD scores are not absolute values so a score of 40 does not indicate twice the deprivation of a ward with a score of 20. Higher average scores indicate higher relative levels of deprivation.)

Figure Source: Trafford Data Lab



CENTRAL LOCALITY: CHILD HEALTH



TRAFFORD
COUNCIL

- Data for A&E attendance, emergency and injury admissions is not available at the ward level. Data for Trafford shows high rates of A&E attendance, emergency and injury admissions in under 5 population.
- Three years rolling average from 2017-2020 suggests that 19.5% of Reception year and 28.9% of Year 6 children are obese and overweight (Obesity Profile, 2020).
- Percentage of reception year children with excess weight in Ashton upon Mersey, Priory and Brooklands are better than England average (statistically significant), whereas similar to England average for Sale Moor and St. Mary's.
- 3 wards in Central are amongst Trafford wards with the lowest percentage of Year 6 children with excess weight.
- The percentage of Year 6 children with excess weight (28.9%) is below and statistically significantly better than the average for Trafford as a whole (31.5%), and the England average of 34.6%.



CHILDREN WITH EXCESS WEIGHT YEAR 6, THREE YEAR AVERAGE 2017/18 - 2019/20




Area	Value	LCI	UCI
England	34.6	34.5	34.6
Trafford	31.5	30.5	32.5
Bucklow-St Martins	39.8	36.0	44.9
St Mary's	36.8	32.6	41.3
Gorse Hill	36.0	32.4	40.9
Stretford	35.6	31.1	39.9
Longford	35.6	30.8	39.5
Clifford	35.4	31.7	40.1
Davyhulme West	34.8	29.4	39.4
Village	33.3	29.1	37.5
Sale Moor	32.9	28.1	37.3
Davyhulme East	32.8	28.7	38.8
Broadheath	32.5	29.0	36.6
Urmston	29.2	25.1	34.9
Altrincham	28.7	24.4	32.8
Flixton	27.9	23.0	32.4
Bowdon	27.7	21.7	33.1
Brooklands	27.5	23.5	32.3
Timperley	26.6	22.3	31.0
Hale Central	25.0	20.0	29.4
Priory	24.3	20.5	29.2
Hale Barns	23.2	19.1	29.1
Ashton upon Mersey	23.0	19.4	27.9

Compared with benchmark: ■ Better ■ Similar ■ Worse ■ Not compared

The percentage of Year 6 children with excess weight (28.9%) is below and statistically significantly better than the average for Trafford as a whole (31.5%), and the England average of 34.6%.




CENTRAL LOCALITY: DISEASE AND POOR HEALTH



- Limited data on disease and poor health is present at the ward level, with the most recent data available until the year 2018.
- 16.7% of residents in the Central wards reported a limiting long term illness or disability in the census (Census, 2011)
- There is a mixed picture of lifestyle related ill-health in the Central locality.
- 17.1% more lung cancer cases during the period 2012-2016, applying age-sex-year-specific incidence rates for England to the ward population (Local Health, 2016).
- During the period 2013/14- 2017/18:
 - 4.1% less admissions for alcohol related harm and the admission ratios across all wards were similar to the England average, except for Ashton upon Mersey, which was statistically better.
 - 16.4% less emergency COPD admissions and the admission ratios across Sale Moor, Priory and Brooklands were lower (statistically significant) than England average. Admission ratio for St. Mary's and Ashton upon Mersey were similar to England average.
 - 6.5% less emergency admissions for CHD and the admission ratios across all wards were similar to England average.
 - 7.1% more emergency admissions for Stroke and the admission ratios across all wards were similar to the England average.




HOSPITAL STAYS FOR ALCOHOL-RELATED HARM BY WARDS IN TRAFFORD (2013/14-2017/18)



Sale Moor ward has 20.7% more hospital stays from alcohol-related harm, followed by Priory (13.7%), St. Mary's (4.8%) and Ashton upon Mersey (2.7%). Brooklands ward has 0.9% less hospital stays from alcohol-related harm.



EMERGENCY HOSPITAL ADMISSIONS FOR CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD) (2013/14-2017/18)



Sale Moor ward has 6% more hospital admissions due to CHD. Brooklands ward has 16.6% less hospital admissions due to CHD, followed by Priory (13.4%), Ashton upon Mersey (8.7%) and St. Mary's. (0.5%)



CENTRAL LOCALITY: LIFE EXPECTANCY





- No recent data is present for healthy life expectancy at the ward level for Trafford. The latest available data is for the year 2017.
- There are wide inequalities in life expectancy and healthy life expectancy across the Central locality
 - St. Mary's ward has the eighth lowest male life expectancy of 79.7 years across all wards in Trafford. Life expectancy for males in St. Mary's is 0.2 years lower than Trafford and 0.2 years higher than England.
 - St. Mary's ward has the seventh lowest female life expectancy of 83.3 years in females across all Trafford wards. Life expectancy for females in St. Mary's ward is 0.2 years lower than Trafford and 0.2 years lower than England.
 - Life expectancy for males is similar (statistically significant) to England average for St. Mary's, Sale Moor and Ashton upon Mersey, but better for Priory and Brooklands.
 - Life expectancy for females is similar (statistically significant) to England average for St. Mary's, Sale Moor and Priory but better for Ashton upon Mersey and Brooklands.



TRAFFORD
COUNCIL



LIFE EXPECTANCY AT BIRTH (MALE) 2013-2017



St. Mary's ward has the eighth lowest male life expectancy of 79.7 years across all wards in Trafford. Male life expectancy is 80.4 years in Sale Moor, 80.6 years in Ashton upon Mersey, 81.5 years in Priory and 80 years in Brooklands.





LIFE EXPECTANCY AT BIRTH (FEMALE) 2013-2017



St. Mary's ward has the seventh lowest female life expectancy of 83.3 years in females across all Trafford wards. Female life expectancy is 83.5 years in Sale Moor, 84 years in Priory, and 85.1 years in Brooklands and Ashton upon Mersey.



HEALTHY LIFE EXPECTANCY AT BIRTH (MALE) 2009-2013





Sale Moor ward has the eighth lowest healthy life expectancy (Male) of 63.5 years across all wards in Trafford. Healthy life expectancy (Male) is 63.7 years in St. Mary's, 65.4 years in Priory, 67.2 years in Ashton upon Mersey and 69.8 years in Brooklands.




TRAFFORD
COUNCIL

HEALTHY LIFE EXPECTANCY AT BIRTH (FEMALE) 2009-2013



St. Mary's ward has the seventh lowest healthy life expectancy (Female) of 64.2 years across all wards in Trafford. Healthy life expectancy (Female) is 65.5 years in Sale Moor, 67.3 years in Priory, 69 years in Ashton upon Mersey and 69.6 years in Brooklands.

Figure Source: Trafford Data Lab




CENTRAL LOCALITY: CAUSE OF DEATH




TRAFFORD
COUNCIL


- No recent data is present for causes of death at the ward level for Trafford. The latest available data is for the year 2017.
- Across the Central locality, there are 1% more preventable deaths compared with England.
- Preventable mortality ratio is similar (statistically significant) to England average for Priors and Ashton upon Mersey, worse for St. Mary's and Sale Moor wards and better for Brooklands ward.
- Deaths under 75 years of age are high across the Central wards with:
 - 6.6% less deaths from all causes. Sale Moor has the sixth highest premature mortality ratio from all causes across Trafford wards with 8.4% more deaths.
 - 5.9% less deaths from cancer. Sale Moor has the fourth highest premature mortality ratio for cancer across Trafford wards with 18.8% more deaths.
 - 7.6% less deaths from circulatory diseases. Sale Moor has the sixth highest levels of premature deaths from circulatory diseases in Trafford with 15.5% more deaths.




DEATHS FROM CAUSES CONSIDERED PREVENTABLE, ALL AGES, STANDARDISED MORTALITY RATIO, 2013-2017




Preventable mortality ratio is better (statistically significant) than England average for Brooklands (28.2% less deaths), similar for Ashton upon Mersey and Priory wards, but worse for Sale Moor and St. Mary's wards.




DEATHS FROM ALL CAUSES, UNDER 75 YEARS, STANDARDIS MORTALITY RATIO, 2013 - 2017




Premature mortality ratio (deaths under 75 years of age) from all causes is better (statistically significant) than England for Brooklands (31% less deaths), and similar for Ashton upon Mersey, Priory, St. Mary's and Sale Moor wards.



DEATHS FROM RESPIRATORY DISEASES, ALL AGES, STANDARDISED MORTALITY RATIO, 2013-17



Standardised mortality ratio from respiratory diseases is better (statistically significant) than England for Ashton upon Mersey (35.9% less deaths) and Brooklands (29.7% less deaths), and similar for Priory, Sale Moor and St. Mary's wards.



CENTRAL LOCALITY: SUMMARY



TRAFFORD
COUNCIL

- The Central locality contains the wards of Ashton upon Mersey, Brooklands, Sale Moor, St. Mary's, and Priory.
- Similar to England and Trafford in age structure (Local Health, 2019) with a low BAME population (ONS, 2011)
- Three of the five wards have low levels of deprivation, with about 11% of children living in poverty and 9.8% of people living in income deprived households in the locality (Local Health. 2019).
- Health of the people of Trafford Central Locality is similar compared with Trafford and England average.
- The rate of premature mortality in the locality is similar to that of Trafford and England.
- About 28.9% of Year 6 children are obese and overweight (2017/2018-2019/2020).
- The incidence of lung cancer (2012-2016) is statistically similar to the England average.
- The rate of alcohol related hospital admissions are statistically similar compared with England average across all 5 wards